



... Manufacturers of quality cedar and softwood chalets, summerhouses, playhouses and garden sheds

Welcome to the Regency Garden Buildings range of handcrafted garden buildings. We trust that within the pages of our brochure you will find the perfect building for your garden.

Please find below our different glazing options, our standard building will come with plain glazing. We also offer georgian, leaded or modern type glazing (see below) as an optional extra. Please consult our price list for additional costs.



Plain Glazing



Georgian Glazing



Leaded Glazing



Modern Glazing



Popular Summerhouse >

8'x 6' with optional fixed side window shown right.

The Popular Summerhouse comes with T&G floor & roof and double mortice and tennon doors. This traditional building looks lovely in any garden large or small.

Sizes

2135 x 1525mm (7'x 5')

2440 x 1830mm (8'x 6')

2440 x 2440mm (8'x 8')

Eaves height

1720mm

Ridge height

(7') 2186mm

(8') 2267mm

Standard features

38x50mm floor joists, Press lock and key, Black T hinges, D handle on door and 138mm roof overhang, polyester roofing felt.







8'x 6' with optional leaded windows shown left.

This traditionally designed pent roof summerhouse would suit any location in the garden, with 2 large glazed front windows and half glazed double doors allowing plenty of light to enter the building.

Sizes

2135 x 1525mm (7'x 5')

2440 x 1830mm (8'x 6') 3050 x 1830mm (10'x 6')

Eaves height

1940mm

Ridge height

2050mm

Standard features

50x50mm tanalised floor joists, 2 fixed windows, rim lock with key and plastic knob, roof framing 70x28mm, diagonal bracing, toughened glass and polyester roofing felt.





8'x 6' shown above.

Add a touch of Alpine elegance to your garden. A versatile building that comes with two opening windows, window boxes and decorative shutters all as standard.

Sizes

2440 x 1830mm (8'x 6')

2440 x 2440mm (8'x 8')

2440 x 3050mm (8'x 10')

3050 x 1830mm (10'x 6')

3050 x 2440mm (10'x 8')

3050 x 3050mm (10'x 10')

Eaves height

1875mm

Ridge height

(8') 2240mm (10') 2356mm

Standard features

50x50mm tanalised floor joists, fully framed mortice and tenon single timber door, mortice lock and olde world lever handle and hinges, 380mm canopy, 2 window boxes, 2 opening windows, diagonal bracing, toughened glass and polyester roofing felt.



R4

Valencia V

8'x6' shown below with optional side window.

This traditional summerhouse comes complete with fully-glazed double doors and toughened glass throughout as standard.

Sizes

2135 x 1525mm (7'x5')

2440 x 1830mm (8'x 6')

2440 x 2440mm (8'x 8')

2440 x 3050mm (8'x 10') 3050 x 1830mm (10'x 6')

3050 x 2440mm (10'x 8')

3050 x 3050mm (10'x 10')

Eaves height

1875mm


Ridge height

(7' & 8') 2240mm (10') 2352mm

Standard features

50x50mm tanalised floor joists, double fully-glazed doors, rim lock key and plastic door knob, 380mm canopy, diagonal bracing, toughened glass and polyester roofing felt.









→ Helmsley

10'x 6' shown left with optional cedar cladding, 4' glass verandah & green felt tiles.

This distinctive modern style summerhouse comes complete with 2 side windows & toughened glass as standard.

Sit & enjoy the view from your garden. Escape the wind & rain by adding our glass verandah which provides needed shelter from the great British weather.

Sizes

2440 x 1830mm (8'x 6')

2440 x 2440mm (8'x 8')

2440 x 3050mm (8'x 10')

3050 x 1830mm (10'x 6')

3050 x 2440mm (10'x 8')

3050 x 3050mm (10'x 10')

3050 x 3660mm (10'x 12')

3660 x 1830mm (12'x 6')

3660 x 2440mm (12'x 8')

3660 x 3050mm (12'x 10')

3660 x 3660mm (12'x 12')

Eaves height

1915mm

Ridge height

(8') 2281mm (10') 2397mm

(12') 2452mm

Standard features

Fully rebated double doors and frame, 50x50mm tanalised floor joists, modern glazing, toughened glass throughout, mortice lock and handle, 380mm canopy, rear vents, two side windows, diagonal bracing and polyester roofing felt.



■ Monte Carlo

10'x 6' shown left with optional cedar cladding & side opening windows.

This georgian paned summerhouse maintains its place in our range due to its popularity. It comes standard with two opening windows and fully glazed double doors.

Sizes

2440 x 1830mm (8'x 6') 2440 x 2440mm (8'x 8') 2440 x 3050mm (8'x 10')

3050 x 1830mm (10'x 6')

3050 x 2440mm (10'x 8') 3050 x 3050mm (10'x 10')

3050 x 3660mm (10'x 12')

3660 x 1830mm (12'x 6') 3660 x 2440mm (12'x 8')

3660 x 3050mm (12'x 10') 3660 x 3660mm (12'x 12')
 Eaves height
 1875mm

 Ridge height
 (8') 2240mm

 (10') 2356mm


(12') 2412mm

Standard features

50x50mm tanalised floor joists, georgian glazing, fully rebated doors and frame, fully-glazed double doors, mortice lock and handle, 380mm canopy, front opening windows, diagonal bracing, toughened glass and polyester roofing felt.



10'x 6' shown with optional side opening windows, cedar cladding & verandah.



■ Bowness

10'x8' with georgian glazing option shown left.

A truly unique chalet which will enhance your garden and enable you to admire the garden from all angles. Available in four glazing options; standard, leaded, modern and georgian.

Sizes

2440 x 1830mm (8'x 6') 2440 x 2440mm (8'x 8') 2440 x 3050mm (8'x 10') 3050 x 1830mm (10'x 6')

3050 x 2440mm (10'x 8') 3050 x 3050mm (10'x 10') Opening Window Window

Eaves height

1875mm

Ridge height

(8') 2240mm (10') 2356mm

Standard features

50x50mm tanalised floor joists, fully rebated doors and frame, half-glazed double doors, mortice lock and handle, 2 opening windows, diagonal bracing, toughened glass and polyester roofing felt. Modern style; 2 fixed windows and rear vent.



Dovedale A

10'x6' shown above with 3/4 standard length windows and optional square felt tiles in black.

This classical summerhouse is well suited for lazy days by the pool or relaxing in the tranquillity of the garden.

Sizes

2440 x 1830mm (8'x 6') 2440 x 2440mm (8'x 8')

3050 x 1830mm (10'x 6')

3050 x 2440mm (10'x 8')

Eaves height 2040mm

Ridge height Low High (6') 2417mm 2641mm (8') 2531mm 2946mm

Standard features

3/4 length windows, 50x50mm tanalised floor joists, fully rebated double doors & frame, fully glazed double doors & opening windows, mortice lock with handle & key, diagonal bracing, toughened glass and polyester roofing felt.





Square bulidings will be supplied with a pointed roof and 1 finial.

High and low roof options available.

Modern style; Toughened glass throughout, 4 fixed windows and rear vent.



Insert; 10'x6' shown above with optional georgian windows, cedar cladding and cedar timber roof.

Copeland >

7'x7' shown right with georgian glazing option.

This attractive chalet with a choice of four glazing options will look striking in any corner of the garden.

Sizes

1830 x 1830mm (6'x 6') 2135 x 2135mm (7'x 7') 2440 x 2440mm (8'x 8')


Eaves height 1955mm

Ridge height 2095mm

Standard features

50x50mm tanalised floor joists, fully rebated doors and frame, fully glazed double doors, mortice lock and handle, 2 opening windows, 2 window boxes. Roof framing 70x28mm, diagonal bracing, toughened glass and polyester roofing felt.

Modern style; Toughened glass throughout, 2 fixed windows and rear vent.







▲ The Wentworth

10'x10' Shown above in softwood timber and optional cedar shingle roof.

The Wentworth has seven spindled sides each framed section is finished off with a moulded handrail. For more exposed sites fully boarded sections can be added and positioned anywhere on the building to give protection from the prevailing breeze.

Sizes

2388 x 2388mm (8' x 8') 2997 x 2997mm (10' x 10')

Eaves height

2011mm

Ridge height

(8') 2735mm (10') 2855mm

Standard features

50x50mm tanalised floor joists, octagonal tanalised floor, 7 spindled sides, moulded handrail and polyester roofing felt.

Kingstone 8 & 10

8'x8' with optional cedar cladding & cedar timber roof shown right. 10'x10' softwood with optional red felt tiles shown below.

This elegant octagonal summerhouse will add character and style to any garden. Shown below is the Kingstone 10 in softwood cladding and our heavy-duty felt tiles ensuring endless seasons of enjoyment. The full depth windows ensures there is plenty of light entering the summerhouse, enabling the occupants to maximise daylight hours.

Sizes

2388 x 2388mm (7'10"x 7'10") 2997 x 2997mm (9'10"x 9'10")

Eaves height


1964mm

Ridge height

(8') 2688mm (10') 2808mm

Standard features for 8' Kingstone


50x50mm tanalised floor joists, georgian glazing, single fully glazed door, mortice lock and handle, 4 full length window sections, 4 individual opening windows, diagonal bracing, toughened glass and polyester roofing felt.





Standard features for 10' Kingstone

50x50mm tanalised floor joists, georgian glazing, fully rebated double doors and frame, fully-glazed double doors, mortice lock and handle, 4 full length window sections, 8 individual opening windows, diagonal bracing, toughened glass and polyester roofing felt.





Wingrove Summerhouses (6, 86, 88 & 108)

Our large range of Wingrove summerhouses is second to none offering an extensive range of sizes and multiple options; georgian, leaded, plain or modern glass. Softwood, deluxe or cedar cladding. There really has to be an option to suit your particular preference.



6'4"x 6'4" Shown above with optional cedar cladding, leaded glazing and red felt tiles.



<a>■ Wingrove 6

6'4" x 6'4" Standard building shown above.

The Wingrove 6 comes with each panel the same size so the single door and two opening windows can be positioned anywhere.

Sizes 1930 x 1930mm (6' 4"x 6' 4")

Eaves height	1964mm
Ridge height	2453mm

Standard feature

50x50mm tanalised floor joists, fully rebated single half-glazed door and frame, mortice lock and

handle, 2 opening windows, 2 window boxes, diagonal bracing, toughened glass and polyester roofing felt.

Modern style; Toughened glass throughout, 2 fixed windows and rear vent.







8'10" x 6'4" shown above with georgian windows and doors, painted in spring green to the walls with cream highlights to the windows & doors and green felt tiles options.

Wingrove 86 ▲ ▶

8'10"x 6'4" shown right with georgian windows and doors and green felt tiles options.

The Wingrove 86 is one of our most popular buildings and looks stunning in any position of the garden.

Sizes 2695 x 1930mm (8'10" x 6'4")

Eaves height 1964mm Ridge height 2453mm


Standard features

50x50mm tanalised floor joists, fully rebated doors and frame, half glazed double doors, mortice lock and handle, 4 opening windows and 2 window boxes, diagonal bracing, toughened glass and polyester roofing felt.

Modern style; Toughened glass throughout, 4 fixed windows and rear vent.









Wingrove 88 AD

8'x 8' shown above with optional cedar cladding, georgian glazing and cedar slatted roof. Single door option.

The Wingrove 88 is a lovely looking building that will fit nicely into any corner of the garden.

Sizes 2388 x 2388mm (8'x 8')

Eaves height 1964mm


Ridge height 2688mm

Standard features

50x50mm tanalised floor joists, fully rebated doors and frame, half

glazed double doors or half glazed single door, mortice lock and handle, 4 opening windows and 2 window boxes, diagonal bracing, toughened glass and polyester roofing felt.

Modern style; Toughened glass throughout, 4 fixed windows and rear vent.



8'x 8' shown above with optional georgian glazing, cedar cladding, cedar slatted roof and double doors.

© Regency Garden Buildings 2016

Wingrove 108 A >

10'x 8' Shown above with optional modern style windows & doors, cedar cladding & cedar shingle roof options.

10'x 8' shown above right with optional georgian windows and doors, cedar cladding and cedar shingle roof.

As with all our Wingrove range the Wingrove 108 is a splendid looking building and is one of our most popular sellers. Whatever style you choose you can be certain your building will give you many years of pleasure.

Sizes	2997 x 2388mm (10'x 8')
Eaves height	1964mm
Ridge height	2688mm

Standard features

50x50mm tanalised floor joists, fully rebated doors and frame, mortice lock and handle, 4 opening windows, 2 window boxes, half glazed double doors, diagonal bracing, toughened glass and polyester roofing felt.

Modern style; Toughened glass throughout, 4 fixed windows and rear vent.





Haddon > 10' x 6' Haddon shown to right with optional

cedar cladding and side window. This attractive summerhouse with contemporary windows is a lovely addition to any garden setting, a tranquil oasis in which to relax.

Sizes

2440 x 1830mm	(8'x 6'
---------------	---------

2440 x 2440mm (8'x 8')

2440 x 3050mm (8'x 10')

3050 x 1830mm (10'x 6') 3050 x 2440mm (10'x 8')

3050 x 3050mm (10'x 10')

3050 x 3660mm (10'x 12') 3660 x 1830mm (12'x 6')

3660 x 2440mm (12'x 8') 3660 x 3050mm (12'x 10') 3660 x 3660mm (12'x 12')

Eaves height


(8') 2131mm Ridge height (10') 2231mm (12') 2331mm

1922mm

Standard features

50x 50mm tanalised floor joists, fully rebated double doors & frame, toughened glass throughout, mortice lock and keys, door handle, diagonal bracing, 2 opening windows and polyester roofing felt.







Henley •

10'x 10' shown left with optional cedar shingle roof and modern style windows.

7'x7' shown above with optional georgian glazing, cedar cladding and black felt tiles. (Low roof shown above.)

10'x 10' shown right with optional modern windows and doors, painted in warm oak and cedar shingle roof.

A chalet to light up any corner of the garden. Also available with the low roof option avoiding the dreaded planning restrictions should your site require it (6', 7' & 8' only).

Sizes

1830 x 1830mm (6'x 6')

2135 x 2135mm (7'x 7')

2440 x 2440mm (8'x 8')

3050 x 3050mm (10'x 10')

3660 x 3660mm (12'x 12')

Eaves height 2011mm

Low High Ridge height (6') 2386mm 2610mm (7')2480mm 2790mm (8') 2500mm 2915mm (10') N/A 3011mm (12') N/A 3277mm


Standard features


50x50mm tanalised floor joists, fully rebated doors & frame, fully-glazed double doors, mortice lock and handle, 2 opening windows (4 opening windows in the 10'/12' models), 2 window boxes, diagonal bracing, toughened glass and polyester roofing felt.

High and low roof options available.

Modern style; Toughened glass throughout, 2 fixed windows (4 on 10'/12' models) and 2 rear vents.











10'x6' shown above with optional georgian glazing, green felt tiles and cedar cladding.

This truly magnificent summerhouse is quite unique in its appearance a very pleasing building to look at and a wonderful focal point for the garden.

Sizes

2440 x 1830mm (8'x6') 2440 x 2440mm (8'x8')

3050 x 1830mm (10'x6')

3050 x 2440mm (10'x8')

Eaves	

2011mm

Laves Helylli		2011111111
Ridge height	Low	High
	(6') 2386mm	2611mm
	(8') 2500mm	2916mm
	(0'v0') 2500mm	2016mm

Standard features

50x50mm tanalised floor joists, fully rebated doors & frame, glass to ground double doors, mortice lock and handle, 2 opening windows, diagonal bracing, toughened glass, polyester roofing felt.

High or low roof options available.

Modern style; Toughened glass throughout, 2 fixed side windows & rear vent.







Square bulidings 8' will be supplied with a pointed roof and 1 finial.



Askern A

10'x6' Shown above with optional red felt tiles & 2 extra fixed side windows.

This attractive, modern style well proportioned summerhouse is a spacious garden retreat in which to enjoy outdoor living.

Sizes

2440 x 1830mm (8'x6')

2440 x 2440mm (8'x8') 2440 x 3050mm (8'x10')

3050 x 1830mm (10'x6')

3050 x 2440mm (10'x8')

3050 x 3050mm (10'x10') 3660 x 1830mm (12'x6')

3660 x 2440mm (12'x8')

3660 x 3050mm (12'x10')

4270 x 1830mm (14'x6') 4270 x 2440mm (14'x8')

4270 x 3050mm (14'x10')

Eaves height	2042mm
Ridge height	(6') 2433mm (8') 2498mm (10') 2563mm

Standard features

50x50mm tanalised floor joists, fully rebated doors & frame, modern glazing, toughened glass throughout, mortice lock and handle, 710mm canopy, 2 fixed side windows, rear vent, diagonal bracing, 2x2 framing and polyester roofing felt.





10'x6' shown left with optional cedar cladding and modern hinges and handles.

This elegant modern style summerhouse ensures it meets all your requirements for a light and airy building to sit in and relax, with toughened glass throughout you can be reassured of the safety aspect.

Sizes

2440 x 1830mm (8'x 6') 2440 x 2440mm (8'x 8') 2440 x 3050mm (8'x 10') 3050 x 1830mm (10'x 6') 3050 x 2440mm (10'x 8') 3050 x 3050mm (10'x 10') 3660 x 1830mm (12'x6') 3660 x 2440mm (12'x8') 3660 x 3050mm (12'x10') 3660 x 3660mm (12'x12') 4270 x 1830mm (14'x6') 4270 x 2440mm (14'x8') 4270 x 1830mm (14'x10') 4270 x 3660mm (14'x12') 4880 x 1830mm (16'x6') 4880 x 2440mm (16'x8') 4880 x 3050mm (16'x10') 4880 x 3660mm (16'x12')

aves height	2065mn
Ridge height	(6') 2175mn (8') 2260mn

Standard features

Fully rebated double doors and frame and 2 side windows, modern glazing, toughened glass throughout, 50x50mm tanalised floor joists, mortice lock and handle, 380mm canopy, rear vent and side windows, diagonal bracing and polyester roofing felt.



Ventilation window, shown above.





14' x 8' shown left with optional extra side window.



This range of superior summerhouses has to be the ultimate array of buildings within the Regency collection. Boasting double glazing and heavy duty framing as standard they also offer a variety of glazing, timber, lining, insulation and painting which means that we can design a building to suit your specific needs that would be useable all year round.







Vittoria ▲ ▶

10' x 10' shown with optional modern glazing, cedar cladding and red felt tiles.

Sizes

2997 x 2997mm (10'x 10') 3608 x 3608mm (12'x 12')

Eaves height (10') 1964mm


(12') 1964mm


Ridge height (10') 2808mm (12') 2900mm

Standard features

Modern or Georgian double glazed toughened storm windows and doors, 50x50mm framing, 50x50mm tanalised floor joists, fully rebated doors and frame, mortice lock and lever handle, polyester roofing felt, heavy duty hinges, diagonal bracing and 4 opening windows.

Modern style only comes with toughened glass, 4 fixed windows and 2 opening rear vents.





◆ Palermo

12'x10' shown with optional green felt tiles.

Sizes

2440 x 3050mm (8'x 10')

2440 x 3660mm (8'x 12')

3050 x 2440mm (10'x 8')

3050 x 3050mm (10'x 10')

3050 x 3660mm (10'x 12')

3660 x 3050mm (12'x 8')

3660 x 3050mm (12'x 10')

3660 x 3660mm (12'x 12') 3660 x 5490mm (12'x 18')

0000 X 3490111111 (12 X

Eaves height

2040mm


Ridge height

(8') 2620mm (10') 2730mm

(12') 2848mm

Standard features

Georgian toughened double glazed storm windows and doors, 4 top opening windows, 50x50mm framing, 50x50mm tanalised floor joists, fully rebated doors and frame, mortice lock and lever handle, polyester roofing felt, heavy duty hinges and diagonal bracing.





■ Milan

12'x10' shown here with optional cedar cladding and black felt tiles.

Sizes

3050 x 2440mm (10'x8') 3050 x 3050mm (10'x10') 3050 x 3660mm (10'x12') 3660 x 2440mm (12'x8') 3660 x 3050mm (12'x10') 3660 x 3660mm (12'x12') 3660 x 4270mm (12'x14') 3660 x 4880mm (12'x16') 3660 x 5490mm (12'x18') 4270 x 2440mm (14'x8') 4270 x 3050mm (14'x10') 4270 x 3660mm (14'x12') 4270 x 4270mm (14'x14') 4270 x 4880mm (14'x16') 4270 x 5490mm (14'x18') 4880 x 2440mm (16'x8') 4880 x 3050mm (16'x10') 4880 x 3660mm (16'x12') 4880 x 4270mm (16'x14') 4880 x 4880mm (16'x16') 4880 x 5490mm (16'x18')

Eaves height

2041mm (10') 2530mm

 Ridge height
 (10') 2530mm

 12' Gable 2500mm
 (12') 2635mm

 Ridge option available
 (14') 2876mm

 (16') 2980mm

Standard features

Georgian toughened double glazed storm windows and doors, 50x50mm framing, 120x50mm roof framing, 50x50mm tanalised floor joists, fully rebated doors and frame, mortice lock and lever handle, polyester roofing felt, heavy duty hinges and diagonal bracing.



▲ Riviera

12'x8' shown with cedar cladding and cedar shingle roof options.

Sizes

3050 x 2440mm (10'x8') 3050 x 3050mm (10'x10') 3050 x 3660mm (10'x12') 3660 x 2440mm (12'x8')

3660 x 3050mm (12'x10')

3660 x 3660mm (12'x12') 3660 x 4270mm (12'x14')

3660 x 4880mm (12'x16')

3660 x 5490mm (12'x18')

4270 x 2440mm (14'x8')

4270 x 3050mm (14'x10') 4270 x 3660mm (14'x12')

12' Gable 2500mm Ridge option available

4270 x 4270mm (14'x14') 4270 x 4880mm (14'x16')

4270 x 5490mm (14'x18') 4880 x 2440mm (16'x8')

4880 x 3050mm (16'x10') 4880 x 3660mm (16'x12')

4880 x 4270mm (16'x14')

4880 x 4880mm (16'x16')

4880 x 5490mm (16'x18')

Eaves height 2041mm

Ridge height (10') 2530mm 12' Gable 2500mm (12') 2635mm

(14') 2876mm (16') 2980mm

Standard features

Modern toughened double glazed storm windows and doors, 50x50mm framing, 120x50mm roof framing, 50x50mm tanalised floor joists, fully rebated doors and frame, mortice lock and lever handle, polyester roofing felt, heavy duty hinges, diagonal bracing and 2 rear vents.





Sorrento >

12'x8' Sorrento.

Sizes

3050 x 2440mm (10'x8') 3050 x 3050mm (10'x10') 3050 x 3660mm (10'x12') 3660 x 2440mm (12'x8') 3660 x 3050mm (12'x10') 3660 x 3660mm (12'x12') 3660 x 4270mm (12'x14') 3660 x 4880mm (12'x16') 3660 x 5490mm (12'x18') 4270 x 2440mm (14'x8') 4270 x 3050mm (14'x10') 4270 x 3660mm (14'x12') 4270 x 4270mm (14'x14') 4270 x 4880mm (14'x16') 4270 x 5490mm (14'x18') 4880 x 2440mm (16'x8') 4880 x 3050mm (16'x10') 4880 x 3660mm (16'x12') 4880 x 4270mm (16'x14') 4880 x 4880mm (16'x16')

Eaves height 2074mm

4880 x 5490mm (16'x18')

Ridge height 2295mm

Standard features

Georgian toughened double glazed storm windows and doors, 50x50mm framing, 75x50mm roof framing, 50x50mm tanalised floor joists, fully rebated doors and frame, mortice lock and lever handle, polyester roofing felt, heavy duty hinges and diagonal bracing.



^{*} Please note, the interior lining will be fitted horizontally.



Portofino

12'x 8' shown with optional cedar cladding.

3050 x 2440mm (10'x8')

3050 x 3050mm (10'x10')

3050 x 3660mm (10'x12')

3660 x 2440mm (12'x8')

3660 x 3050mm (12'x10')

3660 x 3660mm (12'x12')

3660 x 4270mm (12'x14')

3660 x 4880mm (12'x16')

3660 x 5490mm (12'x18')

4270 x 2440mm (14'x8')

4270 x 3050mm (14'x10')

4270 x 3660mm (14'x12')

4270 x 4270mm (14'x14') 4270 x 4880mm (14'x16')

4270 x 5490mm (14'x18')

4880 x 2440mm (16'x8')

4880 x 3050mm (16'x10')

4880 x 3660mm (16'x12')

4880 x 4270mm (16'x14')

4880 x 4880mm (16'x16')

4880 x 5490mm (16'x18')

Eaves height

2074mm

Ridge height

2295mm

Standard features

Modern toughened double glazed storm windows and doors, 50x50mm framing, 75x50mm roof framing, 50x50mm tanalised floor joists, fully rebated doors and frame, mortice lock and lever handle, polyester roofing felt, heavy duty hinges, diagonal bracing and 2 rear vents.





Glarden Sheds

Our Popular range of sturdy garden buildings come with a choice of sizes, styles and timber options (deluxe and cedar cladding options available) All our popular range are fully tongue and grooved Scandinavian pine throughout including most vitally the roof and floor. This offers great value for money and adds strength and longevity to your building. Our sheds are hand made in Yorkshire with the Regency name on.

Popular Corner Shed▼

6'x6' shown below.

Sizes

1830 x 1830mm (6'x 6') 2135 x 2135mm (7'x 7') 2440 x 24400mm (8'x 8')

Eaves height

1854mm


(6'/7'/8') 1993mm

Ridge height

Standard features

Ledge & braced door, press lock & key, 610mm x 610mm windows, black hinges, 70x28mm roof spars and polyester roofing felt.





Popular Apex A

8'x6' shown above.

Sizes

1830 x 1200mm (6'x 4') 2135 x 1525mm (7'x 5')

2440 x 1830mm (8'x 6')

2440 x 2440mm (8'x 8')

3050 x 1830mm (10'x 6') 3050 x 2440mm (10'x 8')

3660 x 2440mm (12'x 8')

Eaves height

1725mm

Ridge height

(4') 1977mm (5') 2048mm

(6') 2124mm

(8') 2267mm

Standard features

Ledge & braced door, press lock & key, 610 x 610 windows, black hinges and polyester roofing felt.



Popular Penta

8'x6' shown above.

Sizes

1830 x 1220mm (6'x 4')

2135 x 1525mm (7'x 5')

2440 x 1830mm (8'x 6')

2440 x 2440mm (8'x 8')

3050 x 1830mm (10'x 6')

3050 x 2440mm (10'x 8')

Eaves height

1915mm

Ridge height

(4'/5'/6') 2020mm (8') 2110mm

Standard features

Ledge & braced door, press lock & key, 610 x 610 windows, black hinges and polyester roofing felt.











Security Bike Store

An ideal bike store for the keen cyclist, rest in the knowledge that your bike is sleeping safely in our security bike store!

Sizes

1830mm x 915mm (6'x 3')

2135mm x 915mm (7'x 3')

2135mm x 1200mm (7'x 4')

2135mm x 1525mm (7'x 5')

Eaves height

1424mm

Ridge height

1500mm

Standard features

Mortice & tennoned double door, security lock cover, heavyduty bolted hinges and polyester roofing felt.

*Padlock not supplied.



Single ► Tallstore

Front height: 1683mm Rear height: 1833mm Size: 915 x 600mm (3'x 2') Standard features: Ledge & braced door, hasp & staple and polyester roofing felt.



Double ► Tallstore

Front height: 1683mm

Rear height: 1833mm Size: 1830 x 760mm (6'x 2'6") 1830 x 915mm (6'x 3') Standard features: Ledge & braced double doors, hasp & staple and polyester roofing felt.





Log Store >

Front height: 1683mm Rear height: 1833mm Size: 1830 x 915mm (6'x 3') Standard features: Polyester roofing felt.







8' x 6' R4 shown left.

An attractive and versatile transverse apex. Available with a choice of door positions.

Sizes

1830 x 1220mm (4'x 6') 2440 x 2440mm (8'x 8') 1525 x 2135mm (5'x 7') 1830 x 3050mm (10'x 6') 1830 x 2440mm (6'x 8') 2440 x 3050mm (10'x 8')

Eaves height

Ridge height (6') 2055mm (8') 2103mm (7') 2073mm (10') 2203mm

Standard features

Fully framed mortice and tenon single door, mortice lock, with key and door handle, profiled weather cill, three black hinges, 50x50mm tanalised floor joists, diagonal bracing, toughened glass and polyester roofing felt.





8'x 6' shown right.

The Royston is a robust garden shed available in a number of sizes. This building has been the backbone of our utility range for over 20 years.

Sizes

1830 x 1220mm (6'x 4')	3050 x 2440mm (10'x 8')
1830 x 1830mm (6'x 6')	3660 x 1830mm (12'x 6')
2135 x 1525mm (7'x 5')	3660 x 2440mm (12'x 8')
2440 x 1830mm (8'x 6')	4270 x 2440mm (14'x 8')
2440 x 2440mm (8'x 8')	4880 x 2440mm (16'x 8')
3050 x 1830mm (10'x 6')	5490 x 2440mm (18'x 8')
	6096 x 2440mm (20'x 8')

Eaves height

1835mm

Ridge height (4') 2087mm (6') 2234mm (5') 2158mm (8') 2377mm

Standard features

Fully framed mortice and tenon single door, black hinges, mortice lock with key and door handle, profiled weather cill, 50x50mm tanalised floor joists, diagonal bracing, toughened glass and polyester roofing felt.





Notton A

8' x 6' R4 shown above.

This very strong & versatile pent roofed building is available with a choice of 8 door positions. An excellent workshop or storage building.

Sizes

1880mm

1830 x 1220mm (6'x 4')	3660 x 1830mm (12'x 6')
1830 x 1830mm (6'x 6')	3660 x 2440mm (12'x 8')
2135 x 1525mm (7'x 5')	4270 x 2440mm (14'x 8')
2440 x 1830mm (8'x 6')	4880 x 2440mm (16'x 8')
2440 x 2440mm (8'x 8')	5490 x 2440mm (18'x 8')
3050 x 1830mm (10'x 6')	6096 x 2440mm (20'x 8')
3050 x 2440mm (10'x 8')	


Eaves height 1940mm

Ridge height (4'/5'/6') 2050mm (8') 2135mm

Standard features

Fully framed mortice and tenon single door, black hinges, mortice lock with key and door handle, profiled weather cill, 50x50mm tanalised floor joists, diagonal bracing, toughened glass and polyester roofing felt. Roof framing $70 \times 28mm$.





Apent >

8'x 6' R3 Shown right.

The Apent combines the roof height of a traditional Apex with the access and storage of a Pent.

Sizes

1830 x 1220mm (6'x 4') 2135 x 1525mm (7'x 5')

2400 x 1830mm (8'x 6')

2440 x 2440mm (8'x 8')

3050 x 1830mm (10'x 6') 3050 x 2440mm (10'x 8')

Eaves height 1875mm Rear 2136mm Front Ridge height

(4') 2320mm

(5') 2380mm (6') 2430mm (8') 2560mm

Standard features

Fully framed mortice and tenon single door, black hinges, mortice lock with key and door handle, profiled weather cill, 50x50mm tanalised floor joists, fixed windows, diagonal bracing, toughened glass and polyester roofing felt.





Barn A

10'x 8' shown above.

This traditional style barn gives the occupants a host of benefits, with the design of the roof you will be amazed how much head room this building delivers.

Why not upgrade your barn by adding some felt tiles.

Sizes

2440 x 2440mm (8'x 8')	2440 x 3050mm (8'x 10')
3050 x 2440mm (10'x 8')	3050 x 3050mm (10'x 10')
3660 x 2440mm (12'x 8')	3660 x 3050mm (12'x 10')
4270 x 2440mm (14'x 8')	4270 x 3050mm (14'x 10')
4880 x 2440mm (16'x 8')	4880 x 3050mm (16'x 10')
5490 x 2440mm (18'x 8')	5490 x 3050mm (18'x 10')
6096 x 2440mm (20'x 8')	6096 x 3050mm (20'x 10')

Eaves height 1828mm

Ridge height (8') 2520mm (10') 2732mm

Standard features

Fully framed mortice and tenon double doors, heavy duty hinges, mortice lock and lever handle, double opening window, 50x50mm tanalised floor joists. Door opening 1550 x 1870mm, profiled weather cill, diagonal bracing, toughened glass and polyester roofing felt.

Clayton >

7'x 7' shown right.


Are you looking for a shed that fits neatly in a corner without wasting valuable garden area and complies with current planning regulations then the Clayton is for you. Fitted with two opening windows and a wide single door which enables plenty of access for the barbecue, garden chairs and most standard lawn mowers you will wonder how you ever managed without it.

Sizes


1830 x 1830mm (6'x 6') 2135 x 2135mm (7'x 7') 2440 x 2440mm (8'x 8') **Eaves height** 1955mm Ridge height 2095mm

Standard features

50x50mm tanalised floor joists, 890 mm wide fully framed mortice and tenon single door, mortice lock with key and lever handle, black hinges, 2 opening windows, 70 x 28mm roof framing, profiled weather cill, diagonal bracing, toughened glass and polyester roofing felt.









8'x 8' shown left.

Both the Suntrap & the Potter are excellent buildings for the keen gardener. Combining storage with growing space. With the large glazed front, 1 opening window in the Suntrap/2 opening windows in the Potter & two tier bench all as standard features makes either of these buildings ideal for your planting & storage needs. All you need to do now is decide whether you prefer the style of the Potter or the Suntrap.

Sizes

1830 x 1830mm (6'x 6')

2440 x 1830mm (8'x 6')

3050 x 1830mm (10'x 6')

1830 x 2440mm (6'x 8')

2440 x 2440mm (8'x 8')

3050 x 2440mm (10'x 8')

Eaves height

1940mm

Ridge height

2078mm

Standard features

50x50mm tanalised floor joists, fully framed mortice and tenon single door, mortice lock with key and door handle, opening window, 2 tier fully boarded shelf, 3 black hinges. Roof framing 70 x 28mm, diagonal bracing, toughened glass and polyester roofing felt.

R1

R2

Potter

8'x 6' shown right.

Sizes

1830 x 1830mm (6'x 6') 2440 x 1830mm (8'x 6')

3050 x 1830mm (10'x 6')

3660 x 1830mm (12'x 6')

1830 x 2440mm (6'x 8')

2440 x 2440mm (8'x 8') 3050 x 2440mm (10'x 8')

3660 x 2440mm (12'x 8')

Eaves height

2065mm

Ridge height

(6') 2175mm (8') 2175mm

Standard features

50x50mm tanalised floor joists, fully framed mortice and tenon single door, mortice lock with key and door handle, 2 side opening windows, black hinges, 2 tier fully boarded shelf, roof framing 70x28mm and diagonal bracing, toughened glass and polyester roofing felt.

R1

R2



Standard shelf shown above, included on both Suntrap & Potter.





Security Apex/Pent

10'x 6' shown left.

A building for the security conscious. With its high level toughened glass safety windows & security lock cover and heavy-duty bolted hinges you can relax in the knowledge that your lawn mower & garden tools have that extra bit of security.

Sizes	3050 x 1830mm (10'x 6')	2440 x 3050mm (8'x 10')
1220 x 1220mm (4'x 4')	3660 x 1830mm (12'x 6')	3050 x 3050mm (10'x 10')
1830 x 1220mm (6'x 4')	3050 x 2440mm (10'x 8')	3660 x 3050mm (12'x 10')
1830 x 1525mm (6'x 5')	3660 x 2440mm (12'x 8')	4270 x 3050mm (14'x 10')
2135 x 1525mm (7'x 5')	4270 x 2440mm (14'x 8')	4880 x 3050mm (16'x 10')
1830 x 1830mm (6'x 6')	4880 x 2440mm (16'x 8')	5490 x 3050mm (18'x 10')
2440 x 1830mm (8'x 6')	5490 x 2440mm (18'x 8')	6096 x 3050mm (20'x 10')
2440 x 2440mm (8'x 8')	6096 x 2440mm (20'x 8')	

8'x 6' R3 Security Pent shown below.



© Regency Garden Buildings 2016



Eaves height

1835mm

Ridge height

(4') 2087mm (5') 2158mm (6') 2234mm (8') 2377mm

(10') 2546mm

Standard features

Fully framed mortice and tenon door, security lock cover, toughened glass high level windows, 50x50mm tanalised floor joists, 38x50mm framing, profiled weather cill, heavy duty bolted hinges, additional internal framing, diagonal bracing and polyester roofing felt.

Security Pent shed, all sizes are the same as the Notton.

*Padlock not supplied.

Cawthorne >

10'x 8' shown right with optional deluxe cladding.

The Cawthorne is a solid robust building ideal for storing larger items, with double opening window & one & a half doors for ease of entry as standard (Ideal for mobility scooters & larger lawn mowers).

Sizes

2440 x 1830mm (8'x 6')

3050 x 2440mm (8'x 8')

3050 x 1830mm (10'x 6')

3660 x 1830mm (12'x 6')

3050 x 2440mm (10'x 8')

3660 x 2440mm (12'x 8')

4270 x 2440mm (14'x 8') 4880 x 2440mm (16'x 8') 5490 x 2440mm (18'x 8') 6096 x 2440mm (20'x 8') 3050 x 3050mm (10'x 10')

3660 x 3050mm (12'x 10')

4270 x 3050mm (14'x 10')

4880 x 3050mm (16'x 10')

5490 x 3050mm (18'x 10') 6096 x 3050mm (20'x 10')

Eaves height

1910mm

Ridge height

(6') 2302mm (8') 2430mm

(10') 2594mm

Standard features

Fully framed mortice & tenon one & a half doors, mortice lock with key & lever handle, double opening window. 50x50mm tanalised floor joists. 50x50mm framing, profiled weather cill, diagonal bracing, toughened glass and polyester roofing felt.





Supreme 🛦

10'x 8' shown above.

The ultimate garden shed. This building is quite versatile, it can be used simply as a storage shed or even a workshop for the keen D.I.Y. person. Boasts extra height, double opening window, double doors and 50 x 50mm framing all as standard.

Sizes	
2440 x 2440mm (8'x 8')	
3050 x 2440mm (10'x 8')	
3660 x 2440mm (12'x 8')	
4270 x 2440mm (14'x 8')	
4880 x 2440mm (16'x 8')	
5490 x 2440mm (18'x 8')	
6096 x 2440mm (20'x 8')	

Eaves height	2040mm	
Didne beinkt	(01) 0000	

Ridge height (8') 2620mm (10') 2730mm

Standard features

Fully framed mortice and tenon double doors, mortice lock, with key and door handle, double opening window, profiled weather cill, 50x50mm framing, 50x50mm tanalised floor joists, heavy-duty hinges, diagonal bracing, toughened glass and polyester roofing felt.

2440 x 3050mm	(8'x 10')
3050 x 3050mm	(10'x 10')
3660 x 3050mm	(12'x 10')
4270 x 3050mm	
4880 x 3050mm	
5490 x 3050mm	(18'x 10')
6100 x 3050mm	(20'x 10')

Optional extra shelf shown below.

Width of bench; Top shelf 450mm Bottom shelf; 380mm Height; 1000mm or Adjusted to suit size of building (ie; special sizes).





Premier A

10'x 8' R1 shown below.

What sturdier bolt-hole could anyone want! Constructed in heavy-duty framing with double doors and a double opening window. It provides a place to while away the hours mending, sawing or enjoying your favourite pastime.

Sizes

01203
2440 x 2440mm (8'x 8')
3050 x 2440mm (10'x 8')
3660 x 2440mm (12'x 8')
4270 x 2440mm (14'x 8')
4880 x 2440mm (16'x 8')
5490 x 2440mm (18'x 8')
6096 x 2440mm (20'x 8')
2440 x 3050mm (8'x 10')
3050 x 3050mm (10'x 10')
3660 x 3050mm (12'x 10')

4270 x 3050mm (14'x 10')

4880 x 3050mm (16'x 10')

5490 x 3050mm (18'x 10')

6100 x 3050mm (20'x 10')


Eaves height

Ridge height

(10') 2200mm

Lowside

Highside



1970mm

(8') 2200mm

Standard features

Fully framed mortice and tenon double doors, mortice lock with key and door handle, double opening window, profiled weather cill, 50x50mm framing, 50x50mm tanalised floor joists, heavy-duty hinges, 75x50mm roof framing, diagonal bracing, toughened glass and polyester roofing felt.



8'x6' shown above with optional painting, deluxe cladding and square grey felt tiles.

This unique garden shed is a dual purpose building, being pleasing to the eye and solves all of your storage needs too.


1830 x 1220mm (6'x 4')
1830 x 1830mm (6'x 6')
2135 x 1525mm (7'x 5')
2440 x 1830mm (8'x 6')
2440 x 2440mm (8'x 8')
3050 x 1830mm (10'x 6')
3050 x 2440mm (10'x 8')
3660 x 1830mm (12'x 6')
3660 x 2440mm (12'x 8')
4270 x 2440mm (14'x 8')
4880 x 2440mm (16'x 8')
5490 x 2440mm (18'x 8')
6096 x 2440mm (20'x 8')

Eaves height	1708mm
Ridge height	(4') 2151mm (5') 2236mm (6') 2356mm (8') 2601mm

Standard features

Fully framed mortice and tenon georgian style single door, mortice lock with key and door handle, georgian style opening side window, toughened glass, old worlde black hinges, 50x50mm tanalised floor joists, diagonal bracing and polyester roofing felt.

Playdens



◆Pop Den

5' x 5' Shown left.

The fabulous value Popular Den playhouse is constructed with all our standard safety features. All sections including the roof & floor are fully tongue & grooved.

Sizes

1525 x 1525mm (5'x 5')

Eaves height 1360mm Ridge height 1670mm

Standard features

1 perspex window, plain trims, piano safety hinge, diamond in door and polyester roofing felt, manufactured to British and European safety standards.



Acorn A >

6' x 6' including verandah shown above.

An ideal playden for the smaller garden. The Acorn is available in two sizes both of which have the option of a verandah. Both sizes come with a window box and plain trims and have all our usual high safety features as standard.

Sizes

1830 x 1220mm (6'x 4')

1830 x 1830mm (6'x 6') 1830 x 1830mm (6'x 6') inc. ver.

1830 x 2440mm (6'x 8') inc. ver.

Eaves height 1464mm Ridge height 1744mm

Standard features

50x50mm tanalised floor joists, manufactured to British and European safety standards, 1 perspex single window, 1 window box, piano safety hinge, diamond window in door, plain trims, decorative window crosses, diagonal bracing and polyester roofing felt.



6'x4' shown above.

Oaktree >

8'x6' shown right.

Available in one large size giving maximum playing space. An optional partition, can see the playden become a post office or shop. Add an optional verandah and increase play area by 610mm.

Sizes

2440 x 1830mm (8'x 6')


2440 x 2440mm (8'x 8') including verandah

Eaves height 1550mm

Ridge height 1820mm

Standard features

50x50mm tanalised floor joists, manufactured to British and European safety standards, 2 perspex single windows, 2 window boxes, piano safety hinge, diamond window in door, plain trims, decorative window crosses, diagonal bracing and polyester roofing felt.



Playdens



◆ Bluebell Cottage

8' x 6' Shown left.

The Bluebell is one of our most impressive playdens. The real dormer windows can make your child become a first time home owner, spending hours entertaining friends and toys alike in the comfort and safety of their own home.

Sizes

2440 x 1830mm (8'x 6')

Eaves height 1626mm Ridge height 2547mm

Standard features

50x50 tanalised floor joists, manufactured to British and European safety standards, 2 single working dormer windows, half glazed door, 1 window box, upstairs platform, ladder, handrail, piano safety hinge, 1 single perspex window, safety rail, plain trims, diagonal bracing and polyester roofing felt.

Two-storey play buildings are not suitable for children under 36 months of age.

Lumberjack

7'x5' shown right & insert shown with optional verandah.

The Lumberjack cabin has proved the most popular two storey model in our extensive range. Available in three sizes.

Sizes

2135 x 1525mm (7'x 5')

2440 x 1525mm (8'x 5')

2440 x 1830mm (8'x 6')

Eaves height

Ridge height (7') 2100mm (8') 2140mm

Standard features

50x50mm tanalised floor joists, manufactured to British and European safety standards, 1 double and 1 single perspex window, 2 window boxes, upstairs, ladder, handrail, piano safety hinges, safety rail, 380mm canopy, diamond window in door, plain trims, decorative window crosses and shutters, diagonal bracing and polyester roofing felt.

Two-storey play buildings are not suitable for children under 36 months of age.





Hoppity House A

10'x 8'6" Shown above.

The Hoppity house playden is every child's perfect hideaway, with 2 rooms downstairs & bunk bed upstairs it's like home from home!

Sizes

3050 x 2592mm (10'x 8'6") 3050 x 3202mm (10'x 10'6")

Eaves height 1883mm
Ridge height 2498mm

Front bed; 2997mm x 810mm Inside/side bed 1778mm x 940mm


Standard features

50x50mm tanalised floor joists, manufactured to British and European safety standards, 4 real georgian safety windows, half glazed georgian door, interchangeable partition & upstairs platform, safety rail, ladder and handrail, piano safety hinge, integral verandah & plain trims, diagonal bracing and polyester roofing felt.





Two-storey play buildings are not suitable for children under 36 months of age.



It is our company policy to seek ways of constantly improving design, quality and service. We therefore reserve the right to amend/alter specifications at our discretion when such changes may be deemed desirable or necessary.

PAINTED COLOUR CHOICES

*Door and window frames only.

Solid Colours



We have reproduced the colours as accurately as print will allow - please see the sample board before deciding upon the final colour.

All buildings in this brochure are protected by design and copyright.

© Regency Garden Buildings Ltd 2016.

www.regencygardenbuildings.co.uk

Information to assist you...



LOCATION

Regency Garden Building Ltd have been manufacturing quality buildings for over 25 years and we would like your building to be a useful addition to your garden. We believe these few points will ensure that it is an asset for many years to come. We ask you to bear in mind that timber is a natural product that needs care and maintenance and that it is subject to naturally occurring changes, which we have no control over. Both temperature and humidity can result in some movement to both the timber and the roof coverings. A good quality, durable polyester roofing felt is supplied on all of our buildings. There may be some movement or rippling after installation, this is mainly due to the fluctuation in temperatures. This is beyond our control and is not detrimental to the building or the roofing felt in any way and should settle down after a short period of time.

CONSTRUCTION

We only use the finest European softwood and Canadian Western Red Cedar you will not find any chipboard or sterling board which is associated with inferior buildings in any of our products. All of our buildings come supplied with everything you need to construct it which includes, felt, glass, screws and nails. All playbuildings are supplied with perspex. Toughened glass on all buildings except the Popular Range which are supplied with horticultural glass as standard although safety glass is available as an optional extra. If you are looking at purchasing a building with an exterior timber cladding of Western Red Cedar please be aware that they are constructed with softwood internal framing, softwood roofs and softwood boarded floors with tanalised floor joists. You may also notice, due to the nature of Cedar, Variations in colour shading, which cannot be avoided. All buildings in our range are supplied with a basecoat which is applied by totally immersing each section in our quality spirit based treatment ensuring penetration on all sides. Many other manufacturers use water based wood preserver, this is a product Regency will not use. Roof sections are additionally protected by green polyester felt on all buildings. With the exception of our popular range all our floors are supplied with tanalised floor joints as standard. Any building larger than 10' (3050mm) on any side will be manufactured in more than one piece for ease of access and transportation.

OPTIONS

Should you find a design you like but one of our standard sizes may not fit your space, then don't worry normally we can adapt one to fit. Our team of joiners can not only make special sized buildings, they can produce a non-standard building to suit your needs, so take a sketch with sizes to your local stockist for a quote. We also offer a full range of optional extras which can be fitted to most of our buildings. These include double doors, verandahs, heavy-duty floors, special size doors, stable doors, extra height, heavy-duty framing, Western Red Cedar cladding, deluxe cladding, extra windows, toughened glass, opening windows, red, grey, black or green mineral felt tiles, cedar timber roof or cedar shingles.

Consideration to siting a building is nearly as important as the building itself so take time to ensure that the site for your building is correct. Things to consider would be proximity of boundaries which could affect planning, the position of the sun if you wish to maximise natural light. To ensure the longevity of your building we do not recommend that trees or shrubs overhang the building.

BASE

It is essential that the base and foundations are correctly prepared for your building as failure to provide a suitable base could affect both the operating of the doors and any opening windows. We would recommend the base is at least the minimum size of the building ordered, to ensure stability of your building the base must be firm and level. There are three main options, a concrete slab, a flagged area, concrete or timber bearers. Gravel or any similar substance is not recommended. You should also consider allowing a space around the building for both installation and maintenance work e.g. re-treating annually with Regency Golden Oak wood preserver or similar spirit based product.

SITE ACCESS

Is it possible to get the building in its section form to the installation area, check for any restrictions, obstacles or bends that will prevent access of the timber sections including height and width as most sections will not go through a standard size door. We can manufacture in smaller sections if required at an extra cost.

GENERAL CARE

To maintain the quality and appearance of your building we recommend that you regularly oil the ironmongery e.g. door and window hinges and to re-treat your building annually. The original colour treatment, Regency Golden Oak can be obtained from your local stockist. If your building is installed in damp conditions please ensure you leave adequate ventilation until the building is dry.

PAINTED BUILDINGS

We take great care when painting your building to achieve the best results & finish. Please be aware that knots will show through the paint (more so on light colours). This is a natural process and cannot be avoided. We cannot guarantee against this happening even though the paint system we use does include knot inhibitors. All of our painted buildings are treated internally with Regency Golden Oak wood preserver. The modern paint system we use has been developed to allow resin exudation (on softwood) and tannin (staining in cedar) to raise to the surface and weather naturally.

All the timber used to construct our buildings are from companies who operate a well managed sustainable forest programme. All timber sizes quoted are after matching.















